

New Product Summary

EPSON EB-825/ 825V

Launch Date – July 2009



EPSON
WORLD LEADER
IN PROJECTORS

E-TORL 3LCD

Performance, reliability and control in the boardroom or meeting room

This powerful, affordable corporate projector combines stunning quality with extensive networking and connectivity. Easy to set up and operate, with a range of energy saving features, this is the perfect high performance presenting partner.

Compact, sleek and stylish

Sleek, stylish and lightweight (3.1kg), the Epson EB-825 is both versatile and portable. Utilizing the latest 3LCD technology, you'll enjoy brighter images with the 3000 lumens, more natural colour reproduction with a Colour Light Output(CLO)¹ of 3000 lumens along with crisp, smooth video playback. Your audience will also remain focused on your presentation thanks to its quiet operation at just 28 dB*.

Seamless connection to your corporate network

Connect your Epson EB-825 directly to your corporate network for remote projector management, maintenance and control.

Optional Wireless & Document Camera

The Epson EB-825 can be made even more versatile with the optional wireless connectivity. Purchase the optional wireless module and connect wirelessly to your network and benefit from the most secure 802.11a/b/g wireless LAN transmission. The brand new Document Camera ELP DC-06 is also fully compatible with the EB-825.

Exclusive 2 in 1 USB Display

A single, long USB cable provides image and mouse control data (for mouse cursor and Page Up/Down). This unique and extremely convenient feature means no more having to play with wires in front of your audience. And combined with the remote control you can also project and slideshow your presentation easily at a distance. You can even connect a USB memory stick to view photographs or slideshows without the need of a laptop.

Save yourself money, and the environment!

Thanks to Epson's exclusive and patented ETORL lamp technology, low-wattage lamps can be used even for bright output; and coupled with these models' low power consumption you are sure to save money and stay ecologically friendly!

Multi-media and audio capability

The Epson EB-825 accepts input data from 2 PCs, allowing you to conveniently switch between them. The built-in 10W speaker offers excellent audio support, along with microphone input to amplify your voice.

Flexible Installation

The impressive 1.6x zoom is a valuable feature, ensuring that you have enhanced flexibility for installation and setup.

Versatile, affordable, compact - ideal for classrooms, seminars and training rooms

- Bright images with 3000 lumens from an energy efficient, Epson exclusive E-TORL lamp
- Exceptional image quality through Epson's 3LCD technology
- Up to 6,000 hours lamp life in Ecomode
- Monitor and control through direct network connection
- 2 in 1 USB Display for enhanced ease of use
- Internal 10W speaker for added audio capabilities
- Optional Wireless Connection
- Optional Document Camera Connection

*in low brightness mode

¹ Colour Light Output (CLO) is a metric that measures a projector's ability to deliver colour. CLO provides users with a simple, accurate and easy to understand way to evaluate projector colour performance to make better buying decisions.



Ordering Information

Description	EB-825 - XGA, 3LCD Projector EB-825V – Projector bundled with Document Camera
Part Number	(UK) EB-825 - V11H297B40 (UK) EB-825V - V11H297540DA
EAN Codes	(UK) EB-825 – 8715946442877 (UK) EB-825V - 8715946452074
Carton Dimensions	TBC (D x W x H)
Carton Weight	TBC

- The last two letters may vary depending on the version. See the RRP list or Trade Price lists for correct part codes.

Screen Size & Projection Distance

Use the Epson Projection Distance Calculator software available from www.epson.co.uk for distances and screen sizes not shown below.

4 : 3

Screen size [inch]	Projection distance					
	Wide			Tele		
	cm	inch	foot	cm	inch	foot
30	83	33	2.7	136	54	4.5
40	111	44	3.7	182	72	6
50	140	55	4.6	229	90	7.5
60	169	66	5.5	275	108	9
80	226	89	7.4	368	145	12.1
100	283	111	9.3	460	181	15.1
150	426	168	14	692	272	22.7
200	568	224	18.6	923	363	30.3
250	711	280	23.3	1155	455	37.9
300	854	336	28	1386	546	45.5

Multimedia Projector EB-825

Accessories


(model code) **order code**

Consumables

Spare Lamp (ELPLP50)



Air Filter Set (ELPAF22)



Screens

50" Portable Screen (ELPSC06)
V12H002S06



60" Portable Screen (ELPSC07)
V12H002S07



80" Portable Screen (ELPSC08)
V12H002S08

Mountings

Suspension Adapter 450mm
(ELPFP13)



Suspension Adapter 750mm
(ELPFP14)



Ceiling Mount (ELPMB23)
Connects to the projector and either directly to the ceiling, or to a ceiling pipe.



Cables

VGA Computer Cable HD-15 to HD-15 1.8m (ELPKC02)
V12H005C02



VGA Computer Cable HD-15 to HD-15 3.0m (ELPKC09)
V12H005C09

VGA Computer Cable HD-15 to HD-15 20m (ELPKC10)
V12H005C10

Component Video Cable (ELPKC19)
V12H005C19



HD-TV Cable (ELPKC22)
V12H005C22



Others

Document Camera (ELP DC-06)



Wireless LAN Unit (ELPAP03)



Quick Wireless Connection USB Key (ELPLP04)
V12H005M04
With Quick Wireless Connection Ver 1.01 (for Windows)



What's in the Box

Projector



Remote Control



2 x AAA alkaline batteries
for remote control



Power Cable
1.8 m cable



USB Cable
1.8 m, USB A/USB B



Computer Cable
Mini D-Sub 15-pin/mini D-Sub 15-pin, 1.8 m (6 ft.)



Soft Carrying Case (ELPKS16B)



Document CD-ROM

EPSON Projector Software for Meeting & Presentation (CD-ROM)

Password Protect Sticker



Safety Instructions
/ World Wide Warranty Terms

Specifications

Projection system (3LCD)		0.63" without MLA
Native resolution		XGA (1024 x768)
Native aspect ratio		4:3
Resolution supported		VGA ~ UXGA / WSXGA+
Color Light Output		3000 lm (Color mode: Game)
White light output (Brightness) *		3000 lm (Color mode: Game, Zoom: Wide)
Projection lens		
	Throw ratio	1.38 – 2.24: 1
	Image size	60" screen 1.71 - 2.73 m
	Focal Length / F Number	18.2mm-29.2mm / 1.49-1.94
	Focus/Zoom type	Focus (Manual) / Optical Zoom (Manual) 1.6x
	Offset	8.6:1
Lens protection		Slide lens shutter
Lamp	Type	200 W UHE (E-TORL)
	Life	5000 hours (Brightness Control: High) / 6000 hours (Brightness Control: Low)
Colour Reproduction		Full-color (16.77 million colors)
Fan noise		28 dB / 35 dB (Eco / Normal mode)
Contrast ratio *		2000:1 (Color mode: Game, Brightness Control: High, Zoom: Wide, Auto iris: On)
Screen size (Projection distance)		30" to 300" [0.84 to 8.7 m] (Zoom:Wide) 30" to 300" [1.36 to 13.9 m] (Zoom:Tele)
Adjustment Function	Foot Adjuster	Front-centre
	Tilt Angle	0 to 11 degrees
	Keystone Correction	Vertical: PC -30 to +30 degrees (Zoom: Tele)
	Auto Keystone Correction	Yes
	Source Search	Yes
	Auto Detection of RGB/Component	Yes
	Operation Panel Protected Function	Yes
	Sleep mode	Yes
Input Connections	Computer	2xD-sub 15-pin (RGB)
	Video	1 x D-sub 15-pin (component), 1 x D-sub 15-pin (RGB)1xRCA (yellow), 1x S-Video, 1 x USB Type B
	Audio	2xStereo mini-jack, 1x RCA (Red/White), 1x Microphone mini-jack input
	Control	1x USB Type B 1x RS232 C (D-Sub 9 pin male)
	Network	LAN via RJ45
	USB Type A	USB Type A x 1 (for USB Memory, Document Camera)
Output Connections		1xD-sub 15-pin (RGB) 1xStereo mini-jack
Built-in speaker		10 W monaural
USB Display		Yes
Direct Power On/ Instant Off		Yes
Security		Kensington lock hole & Security Cable Hole
Wireless Specification		IEEE 802.11b: 11 Mbps* IEEE 802.11g: 54 Mbps* IEEE 802.11a: 54 Mbps* *Maximum speed and range is achievable when used with same enhanced mode technology.
Wireless LAN Security		WEP,WPA-PSK(TKIP/AES),WPA2-PSK(TKIP/AES)
Other functions		Direct power On / Power Off Quick start : ~5 secs. - Instant Off EMP Monitor for LAN monitoring
Operating temperature / altitude		5 °C to 35 °C <41 °F to 95 °F> (20%-80% Humidity) / 0 m to 2286 m<0 ft to 7500 ft>
Power supply wattage		100 - 240 V AC ±10%, 50/60 Hz
Power consumption lamp on		300W
Power consumption stand-by		5W (network off) / 12W (network on)

Weight		Approx. 6.9 lbs. / 3.1kg
Dimension (D x W x H)		250 x 327 x 108 mm
On-screen menu		34 Languages (Japanese / English / French / German / Italian / Spanish / Catalan / Portuguese / simplified Chinese / traditional Chinese / Korean / Dutch / Danish / Polish / Hungarian / Czech / Romanian / Slovenian / Norwegian / Swedish / Finnish / Russian / Ukrainian / Greek / Turkish / Arabic / Thai / Indonesian / Croatian / Slovak / Bulgarian / Malay / Vietnamese / Hebrew)
Easy MP		
E-mail notification		Yes
SNMP		Yes
Web control		Yes
PJ-Link		Yes
AMX Device Discovery		Yes
PC applications		EMP Monitor Ver 4.30 (for Windows) Projector Control Ver 1.01 (for Windows) Web download only USB Display Ver 1.41 (for Windows) EMP NS Connection Ver 2.51 (for Windows and Mac)
Supplied Accessories		
	Power Cable	3.0m
	Computer Cable	1.8 m D-sub 15pin (Male) - D-sub 15pin(Male)
	USB Cable	1.8 m, USB A/USB B
	Remote Control	Compact Type
	Battery	Manganese dry cell x 2
	Bundled Software	EPSON Projector Software for Monitoring (CD-ROM)
	Password Protect Sticker	Attached
	User's Manual Set	Attached
	UK warranty card	N/A
	Security pack	N/A
Optional Accessories		
Spare Lamp		ELPLP50
Air Filter Set		ELPAF22
50" Portable Roll Screen		ELPSC06
60" Portable Roll Screen		ELPSC07
80" Portable Roll Screen		ELPSC08
100 Type Screen		ELPSC10
Computer Cable	HD15 / HD15, 1.8 m	ELPKC02
Computer Cable	HD15 / HD15, 3.0 m	ELPKC09
Computer Cable	HD15 / HD15, 20.0 m	ELPKC10
Component Video Cable	HD15 / 3RCA (male), 3.0 m	ELPKC19
HD-TV Cable	HD15 / D, 3.0 m	ELPKC22
Ceiling Mount	White colour	ELPMB23
Suspension Adapter 450mm	White colour	ELPFP13
Suspension Adapter 700mm	White colour	ELPFP14
Document Camera	USB Connection	ELPDC06
Wireless LAN Unit		ELPAP03
Quick Wireless Connection USB Key With Quick Wireless Connection Ver 1.01 (for Windows)		ELPLP04



Wedgwood AV Ltd
Audio visual supplier since 1996

Wedgwood AV Ltd

Specialise in the supply of audio visual equipment
to UK medical, MOD, education and businesses

Tel: 01754 769967 / 0800 018 9967

FREE Repeat Signage Standalone digital signage software for Windows with
every order over £500+VAT purchased from Wedgwood AV Ltd in 2015

Full product list FREE AV guides



LCD monitors



Touch screens

Wedgwood are giving away Repeat Signage Standalone Edition worth £145+VAT with any products with a total order value of over £500+VAT purchased during 2015 from Wedgwood AV Ltd.
sales@wedgwood-group.com (Order value £1,000 +VAT will receive two software licences; £1,500+VAT three licences).

Repeat Signage helps you get your message across, to promote your products or services. You can display still and moving images, scrolling text messages, RSS feeds (such as the BBC weather or your local news), show webcam or web browser, add audio, PowerPoint scheduler, Flash clocks, and even display pictures which text. [See 2 minute video](#). [Trial download](#)

Contact us - how to order

For a quotation or to place your official purchase order and receive your FREE Repeat Signage digital signage software please telephone 01754 769967 or fax 01754 768036 Email sales@wedgwood-group.com [Special offers](#)

Wedgwood AV Ltd - 01754 769967 www.wedgwood-group.com



Mount solutions



Digital signage



Medical monitors



Lecterns



Audio



Whiteboards



Projectors



Projector lamps



Projector lenses



Projector screens